



DPBB120CN

Terminal Type - DPBB120CN, High Current connectors, nominal voltage: 1000 V, nominal current: 269 A, connection method: Bolt connection with clinch nut, Rated Cross Section:- 120, number of connections: 2, cross section: 25 mm² - 120 mm², mounting type: TS 35/7.5, TS 35/15, TS 32



Approvals



General Information

Product Name	DPBB120CN
Connection Method	Bolt Connection
Rating	1000 V / 269 A / 120 mm ² / 6 Nm
HSN Number	85389000
Standard Packing Qty (in No)	10
Country Of Origin	India
Screw thread	M10

Dimensions & Weight

Width	37 mm	1.46 inch
Length	100 mm	3.94 inch
Height	46.2 mm	1.82 inch
Weight of std. Packing Unit	1.59 Kg	







Material Data


Insulating Material	Polyamide 6,6
Standard Colour	Gray
Colour Variants	Red, Yellow, Blue, Black, Green, Khaki

Rated Conductor Size

Conductor cross section flexible min	25 mm ²
Conductor cross section flexible max	120 mm ²
Conductor cross section solid min	25 mm ²
Conductor cross section solid max	120 mm ²

Product Accessories

Cover Profile		
PCP120	Width : 41.00 mm Thickness : 1.50 mm Length : 126.00 mm	
DIN Rail Perforated		
CHKDS	Height : 15.00 mm Width : 35.00 mm Thickness : 1.50 mm Length : 2,000.00 mm	
CHKS	Height : 7.50 mm Width : 35.00 mm Thickness : 1.00 mm	
CHS	Height : 15.00 mm Width : 32.00 mm Thickness : 1.50 mm	
DIN Rail, Unperforated		
CHKD	Height : 15.00 mm Width : 35.00 mm Thickness : 1.50 mm	
CHK	Height : 7.50 mm Width : 35.00 mm Thickness : 1.00 mm	
End Cap		
CHKENDCAP	Height : 14.00 mm Width : 9.00 mm Length : 41.50 mm	
End Clamp		
SCUP	Height : 34.00 mm Width : 9.00 mm Length : 44.75 mm	
SCUDD	Height : 50.00 mm Width : 10.00 mm Length : 55.60 mm	
SCUSL	Height : 41.10 mm Width : 8.00 mm Length : 47.50 mm	

Marker For Terminal Blocks		
LABEL KN10	Height : 2.89 mm Width : 10.00 mm Length : 8.50 mm	
Partition Plate		
BPN120	Height : 102.50 mm Width : 3.00 mm Length : 125.00 mm	
Marker carriers		
SCUDDMLH	Height : 71.50 mm Width : 11.00 mm Length : 55.60 mm	

